ELSEVIER

Journal of Organometallic Chemistry 531 (1997) 247

Journal of Organometallic Chemistry

Author Index of Volume 531

Aarnts, M.P., 191
Abubishait, H.A., 171
Almansour, A.I., 171
Arikawa, Y., 13
Auner, N., 245

Batchelor, R.J., 27
Bellachioma, G., 227
Berthet, J.C., 115
Biesemans, M., 151
Bitterwolf, T.E., 1
Bloor, D.A., 183
Boisson, C., 115
Böttcher, H.-C., 107
Bouhdid, A., 151
Buchowicz, W., 121
Bukowska-Strzyżewska, M., 41
Bulychev, B.M., 19

Cabiddu, M.G., 125
Cabiddu, S., 125
Cadoni, E., 125
Cardaci, G., 227
Colbert, M.C.B., 183
Corrias, R., 125
Crespo, O., 87
Cross, G.H., 183
Curran, D.P., 9

Denisovich, L.I., 95
De Vos, D., 151
Diederichsen, U., 9
Downs, A.J., 207

Eaborn, C., 171
Ehses, M., 217
Einstein, F.W.B., 27
Elizalde Herrera, L.E., 19
Ephritikhine, M., 115
Everly, S.C., 1

Fattuoni, C., 125
Floris, C., 125
Foresti, E., 227
Fraanje, J., 191

Galsworthy, J.R., 165
Gardiner, M.G., 81
Ghys, L., 151
Giannotti, C., 91
Gielen, M., 151
Gimeno, M.C., 87
Goubitz, K., 191
Graf, M., 107
Greene, T.M., 207

Gusev, O.V., 95

Hall, C.D., 61, 73
He, Y.-X., 27
Hidai, M., 13
Hinde, N.J., 73
Hor, T.S.A., 175
Housecroft, C.E., 165

Ievlev, M.A., 95
Inagaki, K., 159
Ingham, S.L., 237

Jaroszewski, M., 207
John, P., 245
Johnson, B.F.G., 237
Jones, P.G., 87

Kal'sin, A.M., 95
Kalyuzhnaya, E.S., 19
Khvostov, A.V., 19
Kłys, A., 91
Knjazhanski, S.Ya., 19

Laguna, A., 87
Lance, M., 115
Lewis, J., 183
Li, N.-S., 101
Long, N.J., 183

Macchioni, A., 227
Mahieu, B., 151
Mak, T.C.W., 175
Melis, S., 125
Merzweiler, K., 107
Morris, L.J., 207

Nairn, J.G.M., 237
Ng, S.C., 175
Nierlich, M., 115
Nishibayashi, Y., 13
Nixon, D.M., 165
Nozaki, K., 159
Nyburg, S.C., 73

Ohta, T., 159
Okamoto, M., 67
Okano, T., 67
Ono, Y., 67
Onodera, S., 67
Oskam, A., 191

Passler, T., 47
Pasynkiewicz, S., 121
Peterleitner, M.G., 95
Peterson, L.K., 27
Petrovskii, P.V., 95
Pietrzykowski, A., 121
Polborn, K., 47

Raithby, P.R., 183
Raston, C.L., 81
Reichenbach, G., 227
Rheingold, A.L., 1, 165
Rudolf, B., 41

Sabatino, P., 227
Sachsinger, N., 61
Sadler, I.H., 237
Scherer, O.J., 217
Sheldrick, W.S., 141
Singh, J.D., 13
Sizov, A.I., 19
Spek, A.L., 191
Stufkens, D.J., 191
Sutton, D., 27
Suzuki, E., 67
Szymańska-Buzar, T., 207

Takaya, H., 159
Tao, J., 223
Tiekink, E.R.T., 151
Tolhurst, V.-A., 81
Tosik, A., 41

Uemura, S., 13
Ustynyuk, N.A., 95

Veldman, N., 191
Viebrock, H., 81

Weis, J., 245
Wiberg, N., 47
Willem, R., 151
W. Kabalka, G., 101
Wolff, J.M., 141
Wolmershäuser, G., 217
Wu, B.-M., 175

Xiao, W., 223
Xie, Y., 175
Xue, F., 175

Yang, Q., 223
Yapp, G., 1
Yu, S., 101

Zakrzewski, J., 41, 91
Ziche, W., 245
Ziemer, B., 245

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 531 (1997) 249–254

Journal of Organometallic Chemistry

Subject Index of Volume 531

Acylation
The (η^5-cyclopentadienyl)Fe(CO)$_2$ complex of the (L)- and (D)-tryptophan methyl ester N-anion: synthesis and acylation of the amino function (A. Kłys, J. Zakrzewski and C. Giannotti), 91
Acylgermanes
Bimolecular reactions of alkyl halides and acylgermanes: formation of ketones, diketones, and other products by radical–radical reaction (U. Diederichsen and D.P. Curran), 9
Ag^+-complex
Bipyridyl podands in a 1,1′-disubstituted ferrocene (N. Sachsinger and C.D. Hall), 61
Alane complexes of divalent lanthanides
Alane complexes of divalent ytterbocenes. Bimetallic mechanism of styrene polymerization (S.Ya. Knjazhanski, E.S. Kalyuzhnaya, L.E. Elizalde Herrera, B.M. Bulychev, A.V. Khvostov and A.I. Sizov), 19
Alkene
Photo-reversible isomerisation of *trans*- to *cis*-[W(CO)$_4$(η^2-alkene)$_2$] complexes in low-temperature matrices (T. Szymańska-Buzar, M. Jaroszewski, A.J. Downs, T.M. Greene and L.J. Morris), 207
Alkylarylcarbinols
A facile one-pot synthesis of alkylarylcarbinols from α,α-dichloroarylmethanes and trialkylboranes in the presence of magnesium or lithium (N.-S. Li, S. Yu and G. W. Kabalka), 101
Alkyl halide
Intermediacy of surface silylene in the direct synthesis of methylchlorosilanes (M. Okamoto, S. Onodera, T. Okano, E. Suzuki and Y. Ono), 67
Alkyl halides
Bimolecular reactions of alkyl halides and acylgermanes: formation of ketones, diketones, and other products by radical–radical reaction (U. Diederichsen and D.P. Curran), 9
α-Alkylstyrene
Synthesis of (*R*)-2-diphenylphosphino-2′-diphenylphosphinomethyl-1,1′-binaphthyl and its use for asymmetric hydrogenation of α-alkylstyrenes (K. Inagaki, T. Ohta, K. Nozaki and H. Takaya), 159
Allyls
Reactivity of [Cp* Re(η^3-C$_3$H$_5$)(CO)$_2$][BF$_4$] towards oxygen, sulfur, nitrogen and carbon nucleophiles (Y.-X. He, R.J. Batchelor, F.W.B. Einstein, L.K. Peterson and D. Sutton), 27
Aluminium
Alane complexes of divalent ytterbocenes. Bimetallic mechanism of styrene polymerization (S.Ya. Knjazhanski, E.S. Kalyuzhnaya, L.E. Elizalde Herrera, B.M. Bulychev, A.V. Khvostov and A.I. Sizov), 19
Amide
Synthesis of cationic Group 4 metal compounds by protonolysis of amide precursors: crystal structure of [Ti(NMe$_2$)$_3$(NC$_5$H$_5$)$_2$][BPh$_4$] (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 115
Amino acid
Bis(arene) ruthenium(II) complexes containing η^6-coordinated phenylalanine derivatives (J.M. Wolff and W.S. Sheldrick), 141
Anti cancer
Synthesis, characterization and in vitro antitumour activity of triphenyl- and tri-n-butyltin benzoates, phenylacetates and cinnamates (R. Willem, A. Bouhdid, B. Mahieu, L. Ghys, M. Biesemans, E.R.T. Tiekink, D. De Vos and M. Gielen), 151
Asymmetric hydrogenation
Synthesis of (*R*)-2-diphenylphosphino-2′-diphenylphosphinomethyl-1,1′-binaphthyl and its use for asymmetric hydrogenation of α-alkylstyrenes (K. Inagaki, T. Ohta, K. Nozaki and H. Takaya), 159

Benzothiophenes
Metallation reactions. XXII. Regioselective metallation of (trifluoromethyl)(alkylthio)benzenes (M.G. Cabiddu, S. Cabiddu, E. Cadoni, R. Corrias, C. Fattuoni, C. Floris and S. Melis), 125
Bi-brachial
Di-2-(2-methoxyethoxy)ethyl phthalate as a bi-brachial podand: complex formation with mono- and divalent cations (C.D. Hall, N.J. Hinde and S.C. Nyburg), 73
Bioorganometallic chemistry
Bis(arene) ruthenium(II) complexes containing η^6-coordinated phenylalanine derivatives (J.M. Wolff and W.S. Sheldrick), 141
Bipyridyl
Bipyridyl podands in a 1,1′-disubstituted ferrocene (N. Sachsinger and C.D. Hall), 61
Birch reduction
Isomer differentiation by tri-osmium cluster complexation of substituted 1,3-cyclohexadienes (S.L. Ingham, B.F.G. Johnson, I.H. Sadler and J.G.M. Nairn), 237
Bis(arene) ruthenium(II)
Bis(arene) ruthenium(II) complexes containing η^6-coordinated phenylalanine derivatives (J.M. Wolff and W.S. Sheldrick), 141
Bisphosphine ligand
Synthesis of (*R*)-2-diphenylphosphino-2′-diphenylphosphinomethyl-1,1′-binaphthyl and its use for asymmetric hydrogenation of α-alkylstyrenes (K. Inagaki, T. Ohta, K. Nozaki and H. Takaya), 159
Boron
A facile one-pot synthesis of alkylarylcarbinols from α,α-dichloroarylmethanes and trialkylboranes in the presence of magnesium or lithium (N.-S. Li, S. Yu and G. W. Kabalka), 101
Ruthenium butterfly boride clusters with (η^6-arene) ligands (J.R. Galsworthy, C.E. Housecroft, D.M. Nixon and A.L. Rheingold), 165
Bromothiophenes
σ-Thienyl complexes of palladium(II), *trans*-PdBr(C$_4$H$_{4-n}$Br$_{n-1}$S–*C*)(PPh$_3$)$_2$ ($n = 1$–4), from oxidative addition of bromothiophenes to Pd(PPh$_3$)$_4$. X-ray structural identification of key intermediates of catalytic debromination of 2-bromothiophene and

Elsevier Science S.A.

tetrabromothiophene (Y. Xie, S.C. Ng, B.-M. Wu, F. Xue, T.C.W. Mak and T.S.A. Hor), 175

Carbonyl
Convergent synthetic routes to heterobimetallic compounds: crystal and molecular structure of 1-(η^5-cyclopentadienyl manganese tricarbonyl)-1-(η^6-phenyl chromium tricarbonyl) ethanol (T.E. Bitterwolf, S.C. Everly, A.L. Rheingold and G. Yapp), 1
Photo-reversible isomerisation of *trans*- to *cis*-[W(CO)$_4$(η^2-alkene)$_2$] complexes in low-temperature matrices (T. Szymańska-Buzar, M. Jaroszewski, A.J. Downs, T.M. Greene and L.J. Morris), 207
Reactions of [IrCl(Bu$^t_2$PH)$_3$] with [M$_3$(CO)$_{12}$] (M = Fe, Ru): synthesis and X-ray crystal structures of the metal clusters [Ru$_3$(CO)$_8$(μ-H)$_2$(μ_3-PBu^t)(Bu$^t_2$PH)] and [Ru$_3$Ir(CO)$_7$(μ-H)$_2$(μ-PBu$^t_2$)$_2$(Bu$^t_2$PH)(μ_3-Cl)] (H.-C. Böttcher, M. Graf and K. Merzweiler), 107
Syntheses, structures and spectroscopic properties of a novel series of metal–metal bonded complexes Ru(E)(E′)(CO)$_2$(^{i}Pr–DAB): (E = Br, E′ = Mn(CO)$_5$; E = SnPh$_3$, E′ = Mn(CO)$_5$, Re(CO)$_5$, Co(CO)$_4$; E = Me, E′ = Re(CO)$_5$; E = E′ = Mn(CO)$_5$, Re(CO)$_5$; ^{i}Pr–DAB = N,N′-diisopropyl-1,4-diaza-1,3-butadiene) (M.P. Aarnts, A. Oskam, D.J. Stufkens, J. Fraanje, K. Goubitz, N. Veldman and A.L. Spek), 191
The (η^5-cyclopentadienyl)Fe(CO)$_2$ complex of the (L)- and (D)-tryptophan methyl ester N-anion: synthesis and acylation of the amino function (A. Kłys, J. Zakrzewski and C. Giannotti), 91

m-Carborane
Synthesis of the first organometallic gold(I) derivatives of *m*-carborane: crystal structure of [Au$_2$(μ-1,7-C$_2$B$_{10}$H$_{10}$)(PPh$_3$)$_2$] · 1/2CH$_2$Cl$_2$ (O. Crespo, M.C. Gimeno, P.G. Jones and A. Laguna), 87

Carboxylate
Structural chemistry of organotin ferrocenecarboxylic esters. II. The crystal structure of dibutyltin ferrocenecarboxylate oxide (J. Tao, W. Xiao and Q. Yang), 223

Catalysis
Intermediacy of surface silylene in the direct synthesis of methylchlorosilanes (M. Okamoto, S. Onodera, T. Okano, E. Suzuki and Y. Ono), 67
σ-Thienyl complexes of palladium(II), *trans*-PdBr(C$_4$H$_{4-n}$Br$_{n-1}$S–C)(PPh$_3$)$_2$ (n = 1–4), from oxidative addition of bromothiophenes to Pd(PPh$_3$)$_4$. X-ray structural identification of key intermediates of catalytic debromination of 2-bromothiophene and tetrabromothiophene (Y. Xie, S.C. Ng, B.-M. Wu, F. Xue, T.C.W. Mak and T.S.A. Hor), 175

Cationic
Synthesis of cationic Group 4 metal compounds by protonolysis of amide precursors: crystal structure of [Ti(NMe$_2$)$_3$(NC$_5$H$_5$)$_2$][BPh$_4$] (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 115

Chalogenide
Rhodium(I)-, iridium(I)-, and ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using diferrocenyl dichalcogenides as chiral ligands (Y. Nishibayashi, J.D. Singh, Y. Arikawa, S. Uemura and M. Hidai), 13

Chiral
Di-2-(2-methoxyethoxy)ethyl phthalate as a bi-brachial podand: complex formation with mono- and divalent cations (C.D. Hall, N.J. Hinde and S.C. Nyburg), 73

Chirality
Rhodium(I)-, iridium(I)-, and ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using diferrocenyl dichalcogenides as chiral ligands (Y. Nishibayashi, J.D. Singh, Y. Arikawa, S. Uemura and M. Hidai), 13

α-Chlorobenzylic anion
A facile one-pot synthesis of alkylarylcarbinols from α,α-dichloroarylmethanes and trialkylboranes in the presence of magnesium or lithium (N.-S. Li, S. Yu and G. W. Kabalka), 101

Cleavage of tetrahydrofuran
The cleavage of tetrahydrofuran by cyclopentadienylphenylnickel species (S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski), 121

Cluster
Isomer differentiation by tri-osmium cluster complexation of substituted 1,3-cyclohexadienes (S.L. Ingham, B.F.G. Johnson, I.H. Sadler and J.G.M. Nairn), 237
Reactions of [IrCl(Bu$^t_2$PH)$_3$] with [M$_3$(CO)$_{12}$] (M = Fe, Ru): synthesis and X-ray crystal structures of the metal clusters [Ru$_3$(CO)$_8$(μ-H)$_2$(μ_3-PBu^t)(Bu$^t_2$PH)] and [Ru$_3$Ir(CO)$_7$(μ-H)$_2$(μ-PBu$^t_2$)$_2$(Bu$^t_2$PH)(μ_3-Cl)] (H.-C. Böttcher, M. Graf and K. Merzweiler), 107

Cobalt
Syntheses, structures and spectroscopic properties of a novel series of metal–metal bonded complexes Ru(E)(E′)(CO)$_2$(^{i}Pr–DAB): (E = Br, E′ = Mn(CO)$_5$; E = SnPh$_3$, E′ = Mn(CO)$_5$, Re(CO)$_5$, Co(CO)$_4$; E = Me, E′ = Re(CO)$_5$; E = E′ = Mn(CO)$_5$, Re(CO)$_5$; ^{i}Pr–DAB = N,N′-diisopropyl-1,4-diaza-1,3-butadiene) (M.P. Aarnts, A. Oskam, D.J. Stufkens, J. Fraanje, K. Goubitz, N. Veldman and A.L. Spek), 191

CO insertion
Carbonylation reaction of alkyl complexes of iron and molecular structure of *cis,trans*-[Fe(CO)$_2$(PMe$_3$)$_2$(CH$_3$)I] and *trans,trans*-[Fe(CO)$_2$(PMe$_3$)$_2$(CH$_3$)I] (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach, E. Foresti and P. Sabatino), 227

Copper
Intermediacy of surface silylene in the direct synthesis of methylchlorosilanes (M. Okamoto, S. Onodera, T. Okano, E. Suzuki and Y. Ono), 67

Crystal structure
Bis(arene) ruthenium(II) complexes containing η^6-coordinated phenylalanine derivatives (J.M. Wolff and W.S. Sheldrick), 141
Reactions of [IrCl(Bu$^t_2$PH)$_3$] with [M$_3$(CO)$_{12}$] (M = Fe, Ru): synthesis and X-ray crystal structures of the metal clusters [Ru$_3$(CO)$_8$(μ-H)$_2$(μ_3-PBu^t)(Bu$^t_2$PH)] and [Ru$_3$Ir(CO)$_7$(μ-H)$_2$(μ-PBu$^t_2$)$_2$(Bu$^t_2$PH)(μ_3-Cl)] (H.-C. Böttcher, M. Graf and K. Merzweiler), 107
Reactivity of the maleimidato ligand in CpFe(CO)$_2$(η^1-N-maleimidato) in Diels–Alder reaction with 1,3-diphenylisobenzofuran. The crystal structure of [CpFe(CO)$_2$(η^1-N-1,4-diphenyl-1,4-epoxy-1,4-dihydronaphthalene-2,3-dicarboxyimidato)] (A. Tosik, M. Bukowska-Strzyżewska, B. Rudolf and J. Zakrzewski), 41
Ruthenium butterfly boride clusters with (η^6-arene) ligands (J.R. Galsworthy, C.E. Housecroft, D.M. Nixon and A.L. Rheingold), 165
Structural chemistry of organotin ferrocenecarboxylic esters. II. The crystal structure of dibutyltin ferrocenecarboxylate oxide (J. Tao, W. Xiao and Q. Yang), 223
Structural variations in the organo-potassium derivatives of triphenylmethane with PMDTA: a new modification of [Ph$_3$CK · (N,N,N′,N″,N″-pentamethyldiethylenetriamine)]$_n$ (M.G. Gardiner, C.L. Raston, V.-A. Tolhurst and H. Viebrock), 81
Synthesis, characterization and in vitro antitumour activity of triphenyl- and tri-n-butyltin benzoates, phenylacetates and cinnamates (R. Willem, A. Bouhdid, B. Mahieu, L. Ghys, M. Biesemans, E.R.T. Tiekink, D. De Vos and M. Gielen), 151

Crystal structures
σ-Thienyl complexes of palladium(II), *trans*-PdBr(C$_4$H$_{4-n}$Br$_{n-1}$S–C)(PPh$_3$)$_2$ (n = 1–4), from oxidative addition of bromothiophenes to Pd(PPh$_3$)$_4$. X-ray structural identification of key inter-

mediates of catalytic debromination of 2-bromothiophene and tetrabromothiophene (Y. Xie, S.C. Ng, B.-M. Wu, F. Xue, T.C.W. Mak and T.S.A. Hor), 175

Cu^+-complex
Bipyridyl podands in a 1,1'-disubstituted ferrocene (N. Sachsinger and C.D. Hall), 61

Cyclic voltammetry
Reduction of iridocenium salts $[Ir(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}L)]^+$ ($L = C_5H_5$, C_5Me_5, C_9H_7); ligand-to-ligand dimerisation induced by electron transfer (O.V. Gusev, M.G. Peterleitner, M.A. Ievlev, A.M. Kal'sin, P.V. Petrovskii, L.I. Denisovich and N.A. Ustynyuk), 95

Cyclopentadienyl
Convergent synthetic routes to heterobimetallic compounds: crystal and molecular structure of 1-(η^5-cyclopentadienyl manganese tricarbonyl)-1-(η^6-phenyl chromium tricarbonyl) ethanol (T.E. Bitterwolf, S.C. Everly, A.L. Rheingold and G. Yapp), 1

Reduction of iridocenium salts $[Ir(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}L)]^+$ ($L = C_5H_5$, C_5Me_5, C_9H_7); ligand-to-ligand dimerisation induced by electron transfer (O.V. Gusev, M.G. Peterleitner, M.A. Ievlev, A.M. Kal'sin, P.V. Petrovskii, L.I. Denisovich and N.A. Ustynyuk), 95

The (η^5-cyclopentadienyl)$Fe(CO)_2$ complex of the (L)- and (D)-tryptophan methyl ester N-anion: synthesis and acylation of the amino function (A. Kłys, J. Zakrzewski and C. Giannotti), 91

Cyclopentadienylnickel clusters
The cleavage of tetrahydrofuran by cyclopentadienylphenylnickel species (S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski), 121

Cyclopentadienyls
Reactivity of $[Cp^*Re(\eta^3\text{-}C_3H_5)(CO)_2][BF_4]$ towards oxygen, sulfur, nitrogen and carbon nucleophiles (Y.-X. He, R.J. Batchelor, F.W.B. Einstein, L.K. Peterson and D. Sutton), 27

α,α-Dichloroarylmethane
A facile one-pot synthesis of alkylarylcarbinols from α,α-dichloroarylmethanes and trialkylboranes in the presence of magnesium or lithium (N.-S. Li, S. Yu and G. W. Kabalka), 101

Diels–Alder reaction
Reactivity of the maleimidato ligand in $CpFe(CO)_2(\eta^1$-N-maleimidato) in Diels–Alder reaction with 1,3-diphenylisobenzofuran. The crystal structure of [$CpFe(CO)_2(\eta^1$-N-1,4-diphenyl-1,4-epoxy-1,4-dihydronaphthalene-2,3-dicarboxyimidato)] (A. Tosik, M. Bukowska-Strzyżewska, B. Rudolf and J. Zakrzewski), 41

Diimine
Syntheses, structures and spectroscopic properties of a novel series of metal–metal bonded complexes $Ru(E)(E')(CO)_2(^iPr\text{–}DAB)$: (E = Br, E' = $Mn(CO)_5$; E = $SnPh_3$, E' = $Mn(CO)_5$, $Re(CO)_5$, $Co(CO)_4$; E = Me, E' = $Re(CO)_5$; E = E' = $Mn(CO)_5$, $Re(CO)_5$; ^iPr–DAB = N,N'-diisopropyl-1,4-diaza-1,3-butadiene) (M.P. Aarnts, A. Oskam, D.J. Stufkens, J. Fraanje, K. Goubitz, N. Veldman and A.L. Spek), 191

Dipeptide
Bis(arene) ruthenium(II) complexes containing η^6-coordinated phenylalanine derivatives (J.M. Wolff and W.S. Sheldrick), 141

Electrochemistry
Reduction of iridocenium salts $[Ir(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}L)]^+$ ($L = C_5H_5$, C_5Me_5, C_9H_7); ligand-to-ligand dimerisation induced by electron transfer (O.V. Gusev, M.G. Peterleitner, M.A. Ievlev, A.M. Kal'sin, P.V. Petrovskii, L.I. Denisovich and N.A. Ustynyuk), 95

Electron transfer
Reduction of iridocenium salts $[Ir(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}L)]^+$ ($L = C_5H_5$, C_5Me_5, C_9H_7); ligand-to-ligand dimerisation induced by electron transfer (O.V. Gusev, M.G. Peterleitner, M.A. Ievlev, A.M. Kal'sin, P.V. Petrovskii, L.I. Denisovich and N.A. Ustynyuk), 95

Equilibrium constants
Carbonylation reaction of alkyl complexes of iron and molecular structure of *cis,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ and *trans,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach, E. Foresti and P. Sabatino), 227

Ferrocene
Bipyridyl podands in a 1,1'-disubstituted ferrocene (N. Sachsinger and C.D. Hall), 61

Structural chemistry of organotin ferrocenecarboxylic esters. II. The crystal structure of dibutyltin ferrocenecarboxylate oxide (J. Tao, W. Xiao and Q. Yang), 223

Germanium
Bimolecular reactions of alkyl halides and acylgermanes: formation of ketones, diketones, and other products by radical–radical reaction (U. Diederichsen and D.P. Curran), 9

Gold(I)
Synthesis of the first organometallic gold(I) derivatives of *m*-carborane: crystal structure of $[Au_2(\mu\text{-}1,7\text{-}C_2B_{10}H_{10})(PPh_3)_2]\cdot 1/2CH_2Cl_2$ (O. Crespo, M.C. Gimeno, P.G. Jones and A. Laguna), 87

Group 4
Synthesis of cationic Group 4 metal compounds by protonolysis of amide precursors: crystal structure of $[Ti(NMe_2)_3(NC_5H_5)_2][BPh_4]$ (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 115

Group 6
Convergent synthetic routes to heterobimetallic compounds: crystal and molecular structure of 1-(η^5-cyclopentadienyl manganese tricarbonyl)-1-(η^6-phenyl chromium tricarbonyl) ethanol (T.E. Bitterwolf, S.C. Everly, A.L. Rheingold and G. Yapp), 1

Group 7
Convergent synthetic routes to heterobimetallic compounds: crystal and molecular structure of 1-(η^5-cyclopentadienyl manganese tricarbonyl)-1-(η^6-phenyl chromium tricarbonyl) ethanol (T.E. Bitterwolf, S.C. Everly, A.L. Rheingold and G. Yapp), 1

Half-sandwich
Convergent synthetic routes to heterobimetallic compounds: crystal and molecular structure of 1-(η^5-cyclopentadienyl manganese tricarbonyl)-1-(η^6-phenyl chromium tricarbonyl) ethanol (T.E. Bitterwolf, S.C. Everly, A.L. Rheingold and G. Yapp), 1

Heterobimetallic
Convergent synthetic routes to heterobimetallic compounds: crystal and molecular structure of 1-(η^5-cyclopentadienyl manganese tricarbonyl)-1-(η^6-phenyl chromium tricarbonyl) ethanol (T.E. Bitterwolf, S.C. Everly, A.L. Rheingold and G. Yapp), 1

Hydrogenation
Rhodium(I)-, iridium(I)-, and ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using diferrocenyl dichalcogenides as chiral ligands (Y. Nishibayashi, J.D. Singh, Y. Arikawa, S. Uemura and M. Hidai), 13

Iodine monochloride
1,3-Si-to-Si migration of a methyl group. Ratio of rearranged and unrearranged products in the reactions of the iodide $(Me_3Si)_3CSi(CD_3)_2I$ with ICl (A.I. Almansour, H.A. Abubishait and C. Eaborn), 171

Iridium
Reactions of $[IrCl(Bu^t_2PH)_3]$ with $[M_3(CO)_{12}]$ (M = Fe, Ru): synthesis and X-ray crystal structures of the metal clusters $[Ru_3(CO)_8(\mu\text{-}H)_2(\mu_3\text{-}PBu^t)(Bu^t_2PH)]$ and $[Ru_3Ir(CO)_7(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)(\mu_3\text{-}Cl)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 107

Reduction of iridocenium salts $[Ir(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}L)]^+$ ($L = C_5H_5$, C_5Me_5, C_9H_7); ligand-to-ligand dimerisation induced by electron transfer (O.V. Gusev, M.G. Peterleitner, M.A. Ievlev, A.M. Kal'sin, P.V. Petrovskii, L.I. Denisovich and N.A. Ustynyuk), 95

Rhodium(I)-, iridium(I)-, and ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using diferrocenyl dichalcogenides as chiral ligands (Y. Nishibayashi, J.D. Singh, Y. Arikawa, S. Uemura and M. Hidai), 13

Iron

The $(\eta^5$-cyclopentadienyl)$Fe(CO)_2$ complex of the (L)- and (D)-tryptophan methyl ester N-anion: synthesis and acylation of the amino function (A. Kłys, J. Zakrzewski and C. Giannotti), 91

Iron complexes

Carbonylation reaction of alkyl complexes of iron and molecular structure of *cis,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ and *trans,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach, E. Foresti and P. Sabatino), 227

Isomerism

Isomer differentiation by tri-osmium cluster complexation of substituted 1,3-cyclohexadienes (S.L. Ingham, B.F.G. Johnson, I.H. Sadler and J.G.M. Nairn), 237

Photo-reversible isomerisation of *trans*- to *cis*-$[W(CO)_4(\eta^2\text{-alkene})_2]$ complexes in low-temperature matrices (T. Szymańska-Buzar, M. Jaroszewski, A.J. Downs, T.M. Greene and L.J. Morris), 207

Ketones

Bimolecular reactions of alkyl halides and acylgermanes: formation of ketones, diketones, and other products by radical–radical reaction (U. Diederichsen and D.P. Curran), 9

Ligands

Di-2-(2-methoxyethoxy)ethyl phthalate as a bi-brachial podand: complex formation with mono- and divalent cations (C.D. Hall, N.J. Hinde and S.C. Nyburg), 73

Lithium

A facile one-pot synthesis of alkylarylcarbinols from α,α-dichloroarylmethanes and trialkylboranes in the presence of magnesium or lithium (N.-S. Li, S. Yu and G. W. Kabalka), 101

Magnesium

A facile one-pot synthesis of alkylarylcarbinols from α,α-dichloroarylmethanes and trialkylboranes in the presence of magnesium or lithium (N.-S. Li, S. Yu and G. W. Kabalka), 101

Maleimides

Reactivity of the maleimidato ligand in $CpFe(CO)_2(\eta^1$-N-maleimidato) in Diels–Alder reaction with 1,3-diphenylisobenzofuran. The crystal structure of $[CpFe(CO)_2(\eta^1$-N-1,4-diphenyl-1,4-epoxy-1,4-dihydronaphthalene-2,3-dicarboxyimidato)] (A. Tosik, M. Bukowska-Strzyżewska, B. Rudolf and J. Zakrzewski), 41

Manganese

Syntheses, structures and spectroscopic properties of a novel series of metal–metal bonded complexes $Ru(E)(E')(CO)_2(^i$Pr–DAB): (E = Br, E′ = $Mn(CO)_5$; E = $SnPh_3$, E′ = $Mn(CO)_5$, $Re(CO)_5$, $Co(CO)_4$; E = Me, E′ = $Re(CO)_5$; E = E′ = $Mn(CO)_5$, $Re(CO)_5$; ^{i}Pr–DAB = N,N′-diisopropyl-1,4-diaza-1,3-butadiene) (M.P. Aarnts, A. Oskam, D.J. Stufkens, J. Fraanje, K. Goubitz, N. Veldman and A.L. Spek), 191

Matrix isolation

Photo-reversible isomerisation of *trans*- to *cis*-$[W(CO)_4(\eta^2\text{-alkene})_2]$ complexes in low-temperature matrices (T. Szymańska-Buzar, M. Jaroszewski, A.J. Downs, T.M. Greene and L.J. Morris), 207

Mechanism

1,3-Si-to-Si migration of a methyl group. Ratio of rearranged and unrearranged products in the reactions of the iodide $(Me_3Si)_3CSi(CD_3)_2I$ with ICl (A.I. Almansour, H.A. Abubishait and C. Eaborn), 171

Carbonylation reaction of alkyl complexes of iron and molecular structure of *cis,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ and *trans,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach, E. Foresti and P. Sabatino), 227

Metallation

Metallation reactions. XXII. Regioselective metallation of (trifluoromethyl)(alkylthio)benzenes (M.G. Cabiddu, S. Cabiddu, E. Cadoni, R. Corrias, C. Fattuoni, C. Floris and S. Melis), 125

Metallocenes

Alane complexes of divalent ytterbocenes. Bimetallic mechanism of styrene polymerization (S.Ya. Knjazhanski, E.S. Kalyuzhnaya, L.E. Elizalde Herrera, B.M. Bulychev, A.V. Khvostov and A.I. Sizov), 19

Reduction of iridocenium salts $[Ir(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}L)]^+$ ($L = C_5H_5$, C_5Me_5, C_9H_7); ligand-to-ligand dimerisation induced by electron transfer (O.V. Gusev, M.G. Peterleitner, M.A. Ievlev, A.M. Kal'sin, P.V. Petrovskii, L.I. Denisovich and N.A. Ustynyuk), 95

Methyl

Isomer differentiation by tri-osmium cluster complexation of substituted 1,3-cyclohexadienes (S.L. Ingham, B.F.G. Johnson, I.H. Sadler and J.G.M. Nairn), 237

Mössbauer spectroscopy

Synthesis, characterization and in vitro antitumour activity of triphenyl- and tri-n-butyltin benzoates, phenylacetates and cinnamates (R. Willem, A. Bouhdid, B. Mahieu, L. Ghys, M. Biesemans, E.R.T. Tiekink, D. De Vos and M. Gielen), 151

Nickel

The cleavage of tetrahydrofuran by cyclopentadienylphenylnickel species (S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski), 121

NMR

Di-2-(2-methoxyethoxy)ethyl phthalate as a bi-brachial podand: complex formation with mono- and divalent cations (C.D. Hall, N.J. Hinde and S.C. Nyburg), 73

Nuclear magnetic resonance

Synthesis, characterization and in vitro antitumour activity of triphenyl- and tri-n-butyltin benzoates, phenylacetates and cinnamates (R. Willem, A. Bouhdid, B. Mahieu, L. Ghys, M. Biesemans, E.R.T. Tiekink, D. De Vos and M. Gielen), 151

Nucleophilic substitution

Reactivity of $[Cp^*Re(\eta^3\text{-}C_3H_5)(CO)_2][BF_4]$ towards oxygen, sulfur, nitrogen and carbon nucleophiles (Y.-X. He, R.J. Batchelor, F.W.B. Einstein, L.K. Peterson and D. Sutton), 27

Olefin complexes

Reactivity of $[Cp^*Re(\eta^3\text{-}C_3H_5)(CO)_2][BF_4]$ towards oxygen, sulfur, nitrogen and carbon nucleophiles (Y.-X. He, R.J. Batchelor, F.W.B. Einstein, L.K. Peterson and D. Sutton), 27

Olefins

Alane complexes of divalent ytterbocenes. Bimetallic mechanism of styrene polymerization (S.Ya. Knjazhanski, E.S. Kalyuzhnaya, L.E. Elizalde Herrera, B.M. Bulychev, A.V. Khvostov and A.I. Sizov), 19

Organolithium

Metallation reactions. XXII. Regioselective metallation of (trifluoromethyl)(alkylthio)benzenes (M.G. Cabiddu, S. Cabiddu, E. Cadoni, R. Corrias, C. Fattuoni, C. Floris and S. Melis), 125

Organometallic derivatives

Synthesis of the first organometallic gold(I) derivatives of *m*-carborane: crystal structure of $[Au_2(\mu\text{-}1,7\text{-}C_2B_{10}H_{10})(PPh_3)_2] \cdot 1/2CH_2Cl_2$ (O. Crespo, M.C. Gimeno, P.G. Jones and A. Laguna), 87

Organo-potassium compounds
Structural variations in the organo-potassium derivatives of triphenylmethane with PMDTA: a new modification of $[Ph_3CK \cdot (N,N,N',N'',N''\text{-pentamethyldiethylenetriamine})]_n$ (M.G. Gardiner, C.L. Raston, V.-A. Tolhurst and H. Viebrock), 81
Oxidative addition
σ-Thienyl complexes of palladium(II), *trans*-$PdBr(C_4H_{4-n}Br_{n-1}S\text{-}C)(PPh_3)_2$ ($n = 1$–4), from oxidative addition of bromothiophenes to $Pd(PPh_3)_4$. X-ray structural identification of key intermediates of catalytic debromination of 2-bromothiophene and tetrabromothiophene (Y. Xie, S.C. Ng, B.-M. Wu, F. Xue, T.C.W. Mak and T.S.A. Hor), 175
Oxide
Structural chemistry of organotin ferrocenecarboxylic esters. II. The crystal structure of dibutyltin ferrocenecarboxylate oxide (J. Tao, W. Xiao and Q. Yang), 223

Palladium
σ-Thienyl complexes of palladium(II), *trans*-$PdBr(C_4H_{4-n}Br_{n-1}S\text{-}C)(PPh_3)_2$ ($n = 1$–4), from oxidative addition of bromothiophenes to $Pd(PPh_3)_4$. X-ray structural identification of key intermediates of catalytic debromination of 2-bromothiophene and tetrabromothiophene (Y. Xie, S.C. Ng, B.-M. Wu, F. Xue, T.C.W. Mak and T.S.A. Hor), 175
Pendent
Di-2-(2-methoxyethoxy)ethyl phthalate as a bi-brachial podand: complex formation with mono- and divalent cations (C.D. Hall, N.J. Hinde and S.C. Nyburg), 73
Phenylalanine
Bis(arene) ruthenium(II) complexes containing η^6-coordinated phenylalanine derivatives (J.M. Wolff and W.S. Sheldrick), 141
Phosphido-bridged
Reactions of $[IrCl(Bu^t_2PH)_3]$ with $[M_3(CO)_{12}]$ (M = Fe, Ru): synthesis and X-ray crystal structures of the metal clusters $[Ru_3(CO)_8(\mu\text{-}H)_2(\mu_3\text{-}PBu^t)(Bu^t_2PH)]$ and $[Ru_3Ir(CO)_7(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)(\mu_3\text{-}Cl)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 107
Phosphorus
P_2- und C_nPh_n-Komplexe ($n = 2,4$) des Rheniums (O.J. Scherer, M. Ehses und G. Wolmershäuser), 217
Photochemical synthesis
The (η^5-cyclopentadienyl)$Fe(CO)_2$ complex of the (L)- and (D)-tryptophan methyl ester N-anion: synthesis and acylation of the amino function (A. Kłys, J. Zakrzewski and C. Giannotti), 91
Photochemistry
Photo-reversible isomerisation of *trans*- to *cis*-$[W(CO)_4(\eta^2\text{-alkene})_2]$ complexes in low-temperature matrices (T. Szymańska-Buzar, M. Jaroszewski, A.J. Downs, T.M. Greene and L.J. Morris), 207
Podands
Bipyridyl podands in a 1,1′-disubstituted ferrocene (N. Sachsinger and C.D. Hall), 61
P_2, PhCCPh and C_4Ph_4 complexes
P_2- und C_nPh_n-Komplexe ($n = 2,4$) des Rheniums (O.J. Scherer, M. Ehses und G. Wolmershäuser), 217

Radical reactions
Bimolecular reactions of alkyl halides and acylgermanes: formation of ketones, diketones, and other products by radical–radical reaction (U. Diederichsen and D.P. Curran), 9
Reactions
Erzeugung, Stabilisierung und Reaktivität des Silaethens $Me_2Si{=}C(SiMe_3)(Si^tBu_3)$ (N. Wiberg, T. Passler und K. Polborn), 47
Rearrangement
1,3-Si-to-Si migration of a methyl group. Ratio of rearranged and unrearranged products in the reactions of the iodide $(Me_3Si)_3CSi(CD_3)_2I$ with ICl (A.I. Almansour, H.A. Abubishait and C. Eaborn), 171
Reduction
σ-Thienyl complexes of palladium(II), *trans*-$PdBr(C_4H_{4-n}Br_{n-1}S\text{-}C)(PPh_3)_2$ ($n = 1$–4), from oxidative addition of bromothiophenes to $Pd(PPh_3)_4$. X-ray structural identification of key intermediates of catalytic debromination of 2-bromothiophene and tetrabromothiophene (Y. Xie, S.C. Ng, B.-M. Wu, F. Xue, T.C.W. Mak and T.S.A. Hor), 175
Rhenium
P_2- und C_nPh_n-Komplexe ($n = 2,4$) des Rheniums (O.J. Scherer, M. Ehses und G. Wolmershäuser), 217
Reactivity of $[Cp^*Re(\eta^3\text{-}C_3H_5)(CO)_2][BF_4]$ towards oxygen, sulfur, nitrogen and carbon nucleophiles (Y.-X. He, R.J. Batchelor, F.W.B. Einstein, L.K. Peterson and D. Sutton), 27
Syntheses, structures and spectroscopic properties of a novel series of metal–metal bonded complexes $Ru(E)(E')(CO)_2(^iPr\text{–}DAB)$: (E = Br, E′ = $Mn(CO)_5$; E = $SnPh_3$, E′ = $Mn(CO)_5$, $Re(CO)_5$, $Co(CO)_4$; E = Me, E′ = $Re(CO)_5$; E = E′ = $Mn(CO)_5$, $Re(CO)_5$; ^iPr–DAB = N,N′-diisopropyl-1,4-diaza-1,3-butadiene) (M.P. Aarnts, A. Oskam, D.J. Stufkens, J. Fraanje, K. Goubitz, N. Veldman and A.L. Spek), 191
Rhodium
Rhodium(I)-, iridium(I)-, and ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using diferrocenyl dichalcogenides as chiral ligands (Y. Nishibayashi, J.D. Singh, Y. Arikawa, S. Uemura and M. Hidai), 13
Synthesis of (*R*)-2-diphenylphosphino-2′-diphenylphosphinomethyl-1,1′-binaphthyl and its use for asymmetric hydrogenation of α-alkylstyrenes (K. Inagaki, T. Ohta, K. Nozaki and H. Takaya), 159
Ruthenium
Reactions of $[IrCl(Bu^t_2PH)_3]$ with $[M_3(CO)_{12}]$ (M = Fe, Ru): synthesis and X-ray crystal structures of the metal clusters $[Ru_3(CO)_8(\mu\text{-}H)_2(\mu_3\text{-}PBu^t)(Bu^t_2PH)]$ and $[Ru_3Ir(CO)_7(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)(\mu_3\text{-}Cl)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 107
Rhodium(I)-, iridium(I)-, and ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using diferrocenyl dichalcogenides as chiral ligands (Y. Nishibayashi, J.D. Singh, Y. Arikawa, S. Uemura and M. Hidai), 13
Ruthenium butterfly boride clusters with (η^6-arene) ligands (J.R. Galsworthy, C.E. Housecroft, D.M. Nixon and A.L. Rheingold), 165
Syntheses, structures and spectroscopic properties of a novel series of metal–metal bonded complexes $Ru(E)(E')(CO)_2(^iPr\text{–}DAB)$: (E = Br, E′ = $Mn(CO)_5$; E = $SnPh_3$, E′ = $Mn(CO)_5$, $Re(CO)_5$, $Co(CO)_4$; E = Me, E′ = $Re(CO)_5$; E = E′ = $Mn(CO)_5$, $Re(CO)_5$; ^iPr–DAB = N,N′-diisopropyl-1,4-diaza-1,3-butadiene) (M.P. Aarnts, A. Oskam, D.J. Stufkens, J. Fraanje, K. Goubitz, N. Veldman and A.L. Spek), 191
Ruthenium butterfly boride cluster
Ruthenium butterfly boride clusters with (η^6-arene) ligands (J.R. Galsworthy, C.E. Housecroft, D.M. Nixon and A.L. Rheingold), 165

Silaethene
Erzeugung, Stabilisierung und Reaktivität des Silaethens $Me_2Si{=}C(SiMe_3)(Si^tBu_3)$ (N. Wiberg, T. Passler und K. Polborn), 47
Silane
Intermediacy of surface silylene in the direct synthesis of methylchlorosilanes (M. Okamoto, S. Onodera, T. Okano, E. Suzuki and Y. Ono), 67
Silicon
1,3-Si-to-Si migration of a methyl group. Ratio of rearranged and unrearranged products in the reactions of the iodide

$(Me_3Si)_3CSi(CD_3)_2I$ with ICl (A.I. Almansour, H.A. Abubishait and C. Eaborn), 171
Intermediacy of surface silylene in the direct synthesis of methylchlorosilanes (M. Okamoto, S. Onodera, T. Okano, E. Suzuki and Y. Ono), 67
Silylene
Intermediacy of surface silylene in the direct synthesis of methylchlorosilanes (M. Okamoto, S. Onodera, T. Okano, E. Suzuki and Y. Ono), 67
Solvation effects
Structural variations in the organo-potassium derivatives of triphenylmethane with PMDTA: a new modification of $[Ph_3CK \cdot (N,N,N',N'',N''$-pentamethyldiethylenetriamine$)]_n$ (M.G. Gardiner, C.L. Raston, V.-A. Tolhurst and H. Viebrock), 81
Styrene polymerization
Alane complexes of divalent ytterbocenes. Bimetallic mechanism of styrene polymerization (S.Ya. Knjazhanski, E.S. Kalyuzhnaya, L.E. Elizalde Herrera, B.M. Bulychev, A.V. Khvostov and A.I. Sizov), 19
Superbases
Metallation reactions. XXII. Regioselective metallation of (trifluoromethyl)(alkylthio)benzenes (M.G. Cabiddu, S. Cabiddu, E. Cadoni, R. Corrias, C. Fattuoni, C. Floris and S. Melis), 125

Thermal stabilization
Erzeugung, Stabilisierung und Reaktivität des Silaethens $Me_2Si{=}C(SiMe_3)(Si^tBu_3)$ (N. Wiberg, T. Passler und K. Polborn), 47
σ-Thienyl
σ-Thienyl complexes of palladium(II), *trans*-$PdBr(C_4H_{4-n}Br_{n-1}S{-}C)(PPh_3)_2$ ($n = 1$-4), from oxidative addition of bromothiophenes to $Pd(PPh_3)_4$. X-ray structural identification of key intermediates of catalytic debromination of 2-bromothiophene and tetrabromothiophene (Y. Xie, S.C. Ng, B.-M. Wu, F. Xue, T.C.W. Mak and T.S.A. Hor), 175
Tin
Structural chemistry of organotin ferrocenecarboxylic esters. II. The crystal structure of dibutyltin ferrocenecarboxylate oxide (J. Tao, W. Xiao and Q. Yang), 223
Tin carboxylate
Synthesis, characterization and in vitro antitumour activity of triphenyl- and tri-n-butyltin benzoates, phenylacetates and cinnamates (R. Willem, A. Bouhdid, B. Mahieu, L. Ghys, M. Biesemans, E.R.T. Tiekink, D. De Vos and M. Gielen), 151
Trialkylboranes
A facile one-pot synthesis of alkylarylcarbinols from α,α-dichloroarylmethanes and trialkylboranes in the presence of magnesium or lithium (N.-S. Li, S. Yu and G. W. Kabalka), 101
Trifluoromethyl(alkylthio)arenes
Metallation reactions. XXII. Regioselective metallation of (trifluoromethyl)(alkylthio)benzenes (M.G. Cabiddu, S. Cabiddu, E. Cadoni, R. Corrias, C. Fattuoni, C. Floris and S. Melis), 125
Triphenylmethyl anion
Structural variations in the organo-potassium derivatives of triphenylmethane with PMDTA: a new modification of $[Ph_3CK \cdot (N,N,N',N'',N''$-pentamethyldiethylenetriamine$)]_n$ (M.G. Gardiner, C.L. Raston, V.-A. Tolhurst and H. Viebrock), 81
Trisilylmethanes
Erzeugung, Stabilisierung und Reaktivität des Silaethens $Me_2Si{=}C(SiMe_3)(Si^tBu_3)$ (N. Wiberg, T. Passler und K. Polborn), 47
Trisilylmethanides
Erzeugung, Stabilisierung und Reaktivität des Silaethens $Me_2Si{=}C(SiMe_3)(Si^tBu_3)$ (N. Wiberg, T. Passler und K. Polborn), 47
Tryptophan
The (η^5-cyclopentadienyl)$Fe(CO)_2$ complex of the (L)- and (D)-tryptophan methyl ester N-anion: synthesis and acylation of the amino function (A. Kłys, J. Zakrzewski and C. Giannotti), 91
Tungsten
Photo-reversible isomerisation of *trans*- to *cis*-$[W(CO)_4(\eta^2\text{-alkene})_2]$ complexes in low-temperature matrices (T. Szymańska-Buzar, M. Jaroszewski, A.J. Downs, T.M. Greene and L.J. Morris), 207

X-ray diffraction
Carbonylation reaction of alkyl complexes of iron and molecular structure of *cis,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ and *trans,trans*-$[Fe(CO)_2(PMe_3)_2(CH_3)I]$ (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach, E. Foresti and P. Sabatino), 227
Di-2-(2-methoxyethoxy)ethyl phthalate as a bi-brachial podand: complex formation with mono- and divalent cations (C.D. Hall, N.J. Hinde and S.C. Nyburg), 73
P_2- und C_nPh_n-Komplexe ($n = 2,4$) des Rheniums (O.J. Scherer, M. Ehses und G. Wolmershäuser), 217
Synthesis, characterization and in vitro antitumour activity of triphenyl- and tri-n-butyltin benzoates, phenylacetates and cinnamates (R. Willem, A. Bouhdid, B. Mahieu, L. Ghys, M. Biesemans, E.R.T. Tiekink, D. De Vos and M. Gielen), 151
X-ray difraction
Structural chemistry of organotin ferrocenecarboxylic esters. II. The crystal structure of dibutyltin ferrocenecarboxylate oxide (J. Tao, W. Xiao and Q. Yang), 223
X-ray structure
Reactivity of $[Cp^*Re(\eta^3\text{-}C_3H_5)(CO)_2][BF_4]$ towards oxygen, sulfur, nitrogen and carbon nucleophiles (Y.-X. He, R.J. Batchelor, F.W.B. Einstein, L.K. Peterson and D. Sutton), 27

Ytterbium
Alane complexes of divalent ytterbocenes. Bimetallic mechanism of styrene polymerization (S.Ya. Knjazhanski, E.S. Kalyuzhnaya, L.E. Elizalde Herrera, B.M. Bulychev, A.V. Khvostov and A.I. Sizov), 19

Book Reviews
Enantioselective Reactions in Organic Chemistry, O. Cervinka (Ed.) (D.W. Young)), 244
Organic Reactions, Volume 48, L.A. Paquette (Ed. in chief) (D.W. Young)), 243